


LED is **LIGHT**
perfect solution, perfect light

ALU-PROFILE
KATALOG 2017/2018



ÜBERSICHT



ALP001-R SEITE 1




ALP002-R SEITE 2



ALP002-RL SEITE 3



ALP004-RL SEITE 4



ALP003-R SEITE 5



ALP004-R SEITE 6



ALP005 SEITE 7



ALP006 SEITE 3



ALP007-R SEITE 4



ALP008 SEITE 5




ALP0010 SEITE 11




ALP0011 SEITE 12



ALP012 SEITE 12



ALP013 SEITE 13



ALP013 SEITE 14



ALP0015-R SEITE 15



ALP0016-R SEITE 16



ALP017-R SEITE 17



ALP018-R SEITE 18



ALP021 SEITE 19



ALP0023-R2 SEITE 20



ALP0024 SEITE 21



ALP024-R SEITE 22



ALP035 SEITE 23



ALP073 SEITE 24



ALP0025 SEITE 25



ALP0026 SEITE 25



ALP027 SEITE 26



ALP028 SEITE 27



ALP029 SEITE 28



ALP031 SEITE 29



ALP032 SEITE 30



ALP033 SEITE 31



ALP034 SEITE 32



ALP043 SEITE 33



ALP044 SEITE 34



ALP045 SEITE 35




ALP046 SEITE 36



ALP047 SEITE 37



ALP048 SEITE 38



ALP017-R5 SEITE 39




ALP018-R3 SEITE 40




ALP045-R SEITE 41



ALP046-R SEITE 42



ALP047-R1 SEITE 43



ALP048-R1 SEITE 44



ALP044-PC-R SEITE 45



ALP049-R SEITE 46



ALP050 SEITE 47



ALP062 SEITE 48



ALP3030 SEITE 49



ALP6060-R SEITE 50



ALP052 SEITE 51



ALP057 SEITE 52



ALP056 SEITE 53



ALP056-D SEITE 54



ALP3880 SEITE 55



ALP054 SEITE 56




ALP065 SEITE 57




ALP065-T SEITE 57



ALP066 SEITE 58



ALP068 SEITE 59



ALP069 SEITE 60



ALP070 SEITE 61




ALP071 SEITE 62



ALP076 SEITE 63




ALP001-R




Step 1




Step 2




Step 3



Step 4



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole







LED Strip: 2835LED
70LEDs/M, 14W/M




LED Driver

ALP002-R



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap with hole
End cap without hole



Mounting clip(metal)



Adjustble bracket



LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver



180 degrees connector




90 degrees connector




Mounting clip(PC)



ALP002-RL



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
60 degrees



End cap with hole
End cap without hole



Mounting clip(metal)



Mounting clip(PC)



LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver






180 degrees connector




90 degrees connector

ALP004-RL




Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
30 degrees



End cap with hole
End cap without hole



Mounting clip(metal)



Mounting clip(PC)



LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver





180 degrees connector




90 degrees connector


ALP003-R



Step 1



Step 2



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap with hole
End cap without hole




LED Strip: 2835 LED




LED Driver


ALP004-R




Aluminum profile




PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap with hole
End cap without hole



Step 1



Step 2



Step 3



Step 4



Step 5



LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver



180 degrees connector



90 degrees connector



Mounting clip(PC)





Mounting clip(metal)




L-shaped connector

ALP005



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover



End cap with hole
End cap without hole



Mounting clip(PC)



Mounting clip(metal)



LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver

ALP006



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



Mounting clip(metal)



Mounting clip(PC)



LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver



Step 1



Step 2




Step 3



Step 4

ALP007-R



Step 1



Step 2



Step 3



Step 4




Step 5



Step 6



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap with hole
End cap without hole



Mounting clip(metal)



Mounting clip(PC)




LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver

ALP008



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover



End cap with hole
End cap without hole



Mounting clip(metal)



Steel wire



LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver



Step 1



Step 2



Step 3



Step 4




Step 5



Step 6

ALP010



Step 1



Step 2



Step 3




Step 4




Step 5




Step 6



Aluminum profile



Aluminum profile(for strips)



Mounting profile



PMMA opal matte cover
PMMA semi-clear cover



End cap with hole
End cap without hole




LED Strip: 2835LED
120LEDs/M, 24W/M




LED Driver


ALP011




ALP012



PMMA opal matte cover
PMMA semi-clear cover




End cap with hole
End cap without hole




PMMA clear cover
(lens, 45 degrees)




End cap with hole
End cap without hole



Aluminum profile



Aluminum profile (for strips)



Mounting profile





LED Strip: 2835LED
120LEDs/M, 24W/M




LED Driver

ALP013



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole





LED Strip:3528 LED
120 LEDs/M, 9.6W/M




LED Driver

ALP014



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



Adjustble bracket



Mounting clip(PC)



Mounting clip(metal)





LED Strip:3528 LED
120 LEDs/M, 9.6W/M




LED Driver

ALP015-R



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover



End cap with hole
End cap without hole



Mounting clip(metal)





LED Strip, 2835 LED
140LEDs/M, 28W/M




LED Driver

ALP016-R



Aluminum profile




PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



90 degrees joining connector



180 degrees joining connector



Step 1



Step 2



90 degrees inside connector



157 degrees outside connector




Mounting clip(metal)




LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver






Step 3




Step 4


ALP017-R



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



Mounting clip




LED Strip, 2835 LED
140LEDs/M, 28W/M




LED Driver



Step 1



Step 2



Step 3



Step 4





Step 5




Step 6


ALP018-R



90 degrees coupler



120 degrees coupler




180 degrees coupler



End cap without hole



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



90 degrees connecting



120 degrees connecting



180 degrees connecting



Steel wire



Mounting clip(metal)






LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver

ALP021



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap with hole
End cap without hole





LED Strip: 2835LED
120LEDs/M, 24W/M



LED Driver

ALP023-R2



Aluminum profile



PC Frosted cover



End caps




LED Strip: 3528LED
120LEDs/M, 9.6W/M



LED Driver



ALP024



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover



End cap with hole
End cap without hole





LED Strip: 2835LED
70LEDs/M, 14W/M




LED Driver


ALP024-R



Step 1




Step 2



Step 3



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap



Blind PVC cover






LED Strip: 2835LED
70LEDs/M. 14W/M



LED Driver


ALP035



Aluminum profile



PC diffused cover



End caps with hole or without hole



Mounting clip(metal)





LED Strip: 3528LED
120LEDs/M, 9.6W/M



LED Driver

ALP073



Aluminum profile



PC diffused cover



End cap with hole
End cap without hole



Mounting clip(metal)





LED Strip: 3528LED
120LEDs/M, 9.6W/M




LED Driver

ALP025



ALP026



End cap with hole
End cap without hole



Mounting clip(metal)



Rigid LED light bar



PMMA frosted+lightdense white



LED Driver



End cap with hole
End cap without hole



Mounting clip(metal)



Rigid LED light bar






PMMA frosted+lightdense white



LED Driver

ALP027



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



Steel wire



Metal clip





LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver



ALP028



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



Steel wire



Metal clip





LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver

ALP029



Aluminum profile



PC diffused cover



End cap without hole



Steel wire



Metal clip





LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver


ALP031



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



Spring clip






LED Strip, 2835 LED
140LEDs/M, 28W/M




LED Driver

ALP032



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap without hole



Steel wire



Mounting clip(metal)





LED Strip, 2835 LED
140LEDs/M, 28W/M




LED Driver



ALP033



Aluminum profile



PC diffused cover



End cap with hole
End cap without hole







LED Strip: 2835LED
70LEDs/M, 14W/M




LED Driver

ALP034



Aluminum profile



PC diffused cover




End cap with hole
End cap without hole




LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver



Step 1






Step 2



Step 3

ALP043




Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap with hole
End cap without hole



Mounting clip(metal)






LED Strip: 2835LED
120LEDs/M, 24W/M




LED Driver


ALP044



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap with hole
End cap without hole



Mounting clip(metal)




LED Strip: 2835LED
120LEDs/M, 24W/M



LED Driver


ALP045




Step 1



Step 2




Step 3



Step 4




Step 5



Step 6



Aluminum profile



PC diffused cover(milky)
PC semi-clear cover



End cap with hole
End cap without hole



Mounting clip





LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver

ALP046



Aluminum profile



PC diffused cover(milky)
PC semi-clear cover



End cap without hole



90 degrees connecting



Steel wire





LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver

ALP047



Aluminum profile



PC diffused cover(milky)
PC semi-clear cover



End cap with hole
End cap without hole



Mounting clip





LED Strip: 2835LED
210LEDs/M, 42W/M



LED Driver

ALP048



Aluminum profile



PC diffused cover(milky)
PC semi-clear cover



End cap without hole




Mounting clip




LED Strip: 2835LED
210LEDs/M, 42W/M



LED Driver



Step 1




Step 2




Step 3



Step 4






Step 5



Step 6

ALP017-R5



Aluminum profile




PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



Aluminium End Cap
without hole



Spring clip



Connector T



Connector L



Connector X



Connector IL







LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver

ALP018-R3



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover




Aluminium End Cap
without hole




Steel wire



Mounting clip(metal)



Connector T



Connector L



Connector X



Connector IL






LED Strip, 2835 LED
140LEDs/M, 28W/M



LED Driver

ALP045-R



Aluminum profile



PC diffused cover



Aluminium End Cap
without hole



Stainless Clip



Connector T



Connector L



Connector X



Connector IL




LED Strip: 2835LED
140LEDs/M, 28W/M



LED Driver

ALP046-R



Aluminum profile



PC diffused cover



Aluminium End Cap without hole



Steel wire



Stainless Clip



Connector T



Connector L



Connector X



Connector IL





LED Strip: 2835LED
140LEDs/M, 28W/M



LED Driver


ALP047-R1



Aluminum profile



PC diffused cover



Aluminium End Cap
without hole




Stainless Clip



LED Strip: 2835LED
210LEDs/M, 42W/M




LED Driver



Connector T



Connector L





Connector X



Connector IL

ALP048-R1



Aluminum profile



PC diffused cover



Aluminium End Cap
without hole



Stainless Clip



steel wire



LED Strip: 2835LED
210LEDs/M, 42W/M



LED Driver



Connector T



Connector L





Connector X




Connector IL

ALP044-PC-R




Aluminum profile



PC diffused cover



End cap with hole
End cap without hole




Mounting clip(metal)



90 degrees joining connector



90 degrees connector



180 degrees joining connector



Straight connector





LED Strip: 2835LED
120LEDs/M, 24W/M



LED Driver

ALP049-R



Aluminum profile



PC semi-clear cover
PC diffused cover



End cap without hole



Mounting clip(metal)





LED Strip: 2835LED
120LEDs/M, 24W/M




LED Driver

ALP050



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PMMA clear cover
PC diffused cover



End cap with hole
End cap without hole



Mounting clip(metal)




LED Strip: 2835LED
70LEDs/M, 14W/M




LED Driver

ALP062



Aluminum profile



Mounting Profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap without hole







LED Strip: 2835LED
70LEDs/M, 14W/M



LED Driver

ALP3030



Aluminum profile 1



Aluminum profile 2



Frosted PC cover



End cap without hole



LED Strip: 2835LED
120LEDs/M, 24W/M




LED Driver



Steel wire

ALP056



Aluminum profile



PC Frosted cover



End cap without hole



Steel wire






LED Strip: 2835LED
140LEDs/M, 28W/M



LED Driver


ALP056-D



Aluminum profile



PC Frosted cover



End cap without hole



Steel wire




LED Strip: 2835LED
140LEDs/M, 28W/M




LED Driver

ALP052



Aluminum profile



PC diffused cover(milky)
PC semi-clear cover



End cap without hole



Steel wire



180 degrees connector



90 degrees connector





LED Strip: 2835LED



LED Driver

ALP057



Aluminum profile



PC diffused cover(milky)
PC semi-clear cover



End cap without hole



Steel wire





LED Strip: 2835LED
210LEDs/M, 42W/M



LED Driver

ALP3880



Aluminum profile



PC Frosted cover



End cap without hole



LED Strip: 2835LED
140LEDs/M, 28W/M





LED Driver




Steel wire

ALP054



Aluminum profile



PMMA opal matte cover



End cap without hole



LED Strip: 2835LED
140LEDs/M, 28W/M





LED Driver







Steel wire

ALP065



ALP065-T



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap without hole



Metal clip



PC diffused cover



End cap without hole






Steel wire



Metal clip

ALP066



Aluminum profile



PMMA opal matte cover
PMMA semi-clear cover
PC diffused cover



End cap without hole



LED Strip: 2835LED
140LEDs/M, 28W/M



LED Driver





Steel wire



Metal clip

ALP068



Aluminum profile



PC diffused cover



End cap with hole
End cap without hole





LED Strip: 3528LED
120LEDs/M, 9.6W/M



LED Driver


ALP069



Aluminum profile



PC diffused cover



End cap with hole
End cap without hole





LED Strip: 3528LED
120LEDs/M, 9.6W/M




LED Driver


ALP070



Step 1



Step 2



Step 3



Aluminum profile



PC diffused cover



End cap with hole
End cap without hole






LED Strip: 3528LED
120LEDs/M, 9.6W/M




LED Driver

ALP071



Aluminum profile



PC diffused cover



End cap with hole
End cap without hole




LED Strip: 2835LED
120LEDs/M, 24W/M




LED Driver

ALP076



A



Aluminum profile 1



Aluminum profile 2




PC Frosted cover



End cap with hole
End cap without hole

B



LED Strip: 3528LED
120LEDs/M, 9.6W/M



LED Driver



90 degrees inside
connector



90 degrees outside
connector

